

# PHYSIOLOGY



Lec: 2

Done by: Abdulrahman Ehsan 🐸

PHYSIOLOGY LECTURE 2

**CONTROL SYSTEMS OF  
THE BODY**

**Dr. Waleed R. Ezzat**

# Lecture Objectives:

- ① Define and describe the components of homeostatic **control system**.
- ① List the **factors** that are homeostatically regulated.
- ① Compare and contrast **negative and positive feedback** and explain the importance of these processes to homeostasis.
- ① Understand the **gain** of the control system and its physiological significance.
- ① Explain the **feed forward** concept and its importance for initiation of responses in anticipation of a change in internal environment.

# Factors homeostatically regulated:

Factors of the internal environment that must be homeostatically maintained are:

العوامل التي يجب الحفاظ عليها

بنسب ثابتة

1. Concentration of **nutrient molecules**.
2. Concentration of **oxygen and carbon dioxide**.
3. Concentration of **waste products**.
4. **pH (hydrogen ion concentration)**.
5. **Water volume and osmolality (essential electrolyte concentrations)**.
6. **Plasma volume and pressure**.
7. **Core body temperature**.

العوامل الأخرى من شرط تكون ثابتة بل تكون هي

العوامل التي تحافظ على هذه

العوامل 7.

الداخلية واصل الخارجية  
(حرارة الدم)

• من كل العوامل في جسم الإنسان يجب الحفاظ عليها ثابتة ، فقط يوجد 7 عوامل

للحفاظ عليها ويتم تفسير جميع العوامل الأخرى في سبيل أن تبقى هذه ال 7

بنسب ثابتة . (بإمكاننا اعتبارها أهداف) (بإتقي العوامل تكون وسائله) .

① Nutrients

②  $O_2 / CO_2$

③ waste

④  $pH \rightarrow H^+$

⑤ water

⑥ Plasma and pressure

⑦ core temperature

Control دائما يحاول تصحيح خطأ (مخالفا)

# Control systems of the body

كدهم بالالف (م)

كل مستوى خلية  
كل مستوى نسيج  
كل مستوى عضو

Control systems of the body are in thousands. Starting from the cellular level and ending in throughout the entire body control systems.

To maintain homeostasis, the control system must be able to:

• شروط ان اذ Control System يستعمل -

- 1) Detect deviations from normal in the internal environmental factor that needs to be held within narrow limits.
- 2) Integrate this information with any other relevant information.
- 3) Make appropriate adjustments in the activity of the body parts responsible for restoring this factor to its desired value

✂ Examples are  $\text{Na}^+\text{-K}^+$  pump, genetic control, pH regulation, and thermal regulation of the body.

تأبج واحد يمكن يتعاونوا أكثر  
control

✂ Homeostatic regulation of a single physiologic factor often involves several cooperating control systems (mechanisms) activated at the same time or in succession.

أول واحد يستعمل فيها هو الهيموكلورين ← اذا زاد  $\text{H}^+$  بجهل كل تقايله / اذا  $\text{PO}_4^{3-}$  بجهل  $\text{HPO}_4^{2-}$

• عند أنظمة التحكم بالجسم بالآلاف سواء على مستوى الخلايا أو على مستوى جهاز معين

مثل نظام التحكم بتراكيز  $K^+$  /  $Na^+$  بغشاء الخلية ، أو نظام الـ pH ، أو نظام الحرارة .

• لازم بنظام التحكم يتوفر بي بشروط هيّة حتى يعمل :-

معلومة :- البول بالحالة

الطبيعية يكون حمضي لأن

اللكل تتصلب من أيونات  $H^+$

الزائد مع البول ، وهذا واحد

من الـ control التي يحافظ على pH

- ① لازم يكون عنده قدرة على اكتشاف الخطأ (Detect)
- ② يربط المعلومات بعلومات أخرى ويرتبهم (Integrate)
- ③ يكون عنده القدرة على التغيير والتصحيح (adjustments)

اللي يكون يتحد أكر من control system حتى يصح واحد من 4

# Control systems of the body (Cont.)

- ✘ ○ The more important a variable, the more numerous and complicated are the mechanisms that operate to maintain the steady-state at the desired value.
- The efficiency of the homeostatic mechanisms varies over a person's lifetime, with some homeostatic mechanisms not being fully developed at birth and others declining with age.  
يعني شدة ↗
- For example, a newborn infant cannot concentrate urine as an adult. Older adults are less able to tolerate stresses, such as exercise or changing weather, than are younger adults.
- ✘ ○ The control systems are characterized by their:
  - ✓ ① Negative feedback nature (the majority) ✘ % (90-98)
  - ✓ ② Positive feedback nature ✘



• آليات ال homeostatic تغير أثناء مرحلة حياة النبي آدم ، للأحسن أو للأسوأ ، كل سبيل

أمثال الطفل الوليد كلياً لا يستطيع أن تتركه البيول بشكل جيد ، لأن مع مرور الوقت يصبح قادر لنا  
الكلبار بيحصلوا الجفان أكثر من الصغار .

• يعمل ال Control system بطريقتين :-

① Negative feedback ~~~~~  
لزاماً لا تغير بواحد من ال 7  
الجسم يعمل على ردة فعل معاكسة لهذا التغيير

② Positive feedback ~~~~~  
في حالة تغيير بيير  
ردة فعل متماشياً معه (باتجاهه)

✳ بار و physiology كلمة

stress لا تعني كوتر عصبي

بل هي كلمة تصف كل شيء

تغير طبيعي مثل نقصان الـ

والبرد الشديد والأكسور

التهدية ما الخ

# Negative feedback:

بازار به تلاش می کند  
و از آنجمله به تلاش می کند

\* When some factors becomes **excessive** or **deficient**, series of changes occur that move the factor in the **opposite direction** of its initial change. That is, a corrective adjustment opposes the original deviation from the homeostatic steady-state.

\* The components of a simple negative-feedback control system include:

- 1 Regulated variable
- 2 The receptor (sensor or detector)
- 3 The control center (comparator or integrator)
- 4 The effector (acts to oppose change)

شرط

set point

عضلات

\* **Example:** Exercise  $\rightarrow$   $\uparrow$  body temperature  $\rightarrow$  stimulation of temperature-monitoring nerve cells in the hypothalamus  $\rightarrow$  activation of cooling mechanisms (sweating)  $\rightarrow$   $\downarrow$  body temperature.

تغریق

$\uparrow$  metabolism

# \* Negative :-

حتى نحكي عن سببي لازم يتوفر فيه 4 مكونات :-

① (في نماذج أسما) لازم يكون احسن ال 7

② تكون في مستقبل (شي أحسن بالتفصيل)  يرسل معلومات وينقل مستمر  
للـ Control center

③ Control center

④ (Effector) وجود كضو للتدفيد

يعاكن التغيير

يك في ال Set Point  
ولما الاتصال زارت أو عملت عنيا  
بيعمل استجابة

الأكبر مثال هو النظام الحاربي المذكور فوق

# Gain of a Control System:

- ✓ ● The gain is degree of **effectiveness** with which a control system maintains constant conditions.
- ✓ ● The gain of the control system is calculated by the following formula:


← دائما بالسالب

$$\text{The **Gain** of a control system} = \frac{\text{Correction}}{\text{Error}}$$

→ تصحيحه

صالم  
يصحح

- \* Where the Error is the remaining uncorrected change from normality. The gain of baroreceptors is about -2, whereas the gain of temperature control system is about -33.




• ال Gain هو شاون نعرفه اذ Control system انا كان قوي

أو ضعيف وبنائاً عليه بتحدد .

$$\text{Gain} = \frac{\text{Correction}}{\text{Error}}$$

الاصح  
بالاصح


لكي يكون طاقماً بالسالب ⊖



# Feedforward Regulation:

- Is another type of regulatory process usually acts in combination with negative-feedback systems
- The feedforward regulation **anticipates** changes in a regulated variable, improves the speed of the body's homeostatic responses, and minimizes fluctuations in the level of the variable being regulated - that is, it reduces the amount of deviation from the set point
- The operation of the controller is "**open loop**"; that is, the regulated variable itself is not sensed
- Example;** When outside temperature falls, skin nerve cells immediately detect the change and relay this information to the brain, which then sends out signals to the blood vessels and muscles, resulting in heat conservation and increased heat production even before the internal body temperature falls

مش loop هو فقط اجراء واحد





● الجسم بصير يشتغل قبل ما يصير ال change البي.

يسمى ار ←  
anticipation




مثلاً لما يصير الجلد شاحب بالبرد  
عشان يقل الدم يلي بالجلد حتى ما نفقد  
حرارة الدم .

للحظة  
ومثال آخر قصة الأنسولين  
والدم .

\* ان feedforward ليس loop بل هو إجراء

أو جوية إجراءات ذي خط واحد / ان Negative feedback

هي التي تكون loop .




## Positive feedback:

فشارت له ستره بصير  
نيريدها (تسارع)

- The change induces further change leading to an amplified effect that ends in **vicious cycle**. It can be useful in some cases; e.g. blood clotting, childbirth (initiation of uterine contraction), generation of action potential in membrane of nerve cell when Na<sup>+</sup> ion influx begins, ovarian ovulation, etc.
- The positive feedback may be considered as a part of an overall negative feedback process.
- **Example:** blood clotting, the positive feedback clotting process is a negative feedback process for the maintenance of normal blood volume.


كيفنا ابسطه لطلابنا



**Positive feedback** as illustrated by the clotting process in blood. Damaged endothelial cells in the lining of a blood vessel secrete chemical signals that attract and activate platelets. As clotting begins, the activated platelets produce chemical signals of their own, attracting and activating **more** platelets to the wound site, which then produce yet **more** chemical signals, and so on. The cycle ends when the wound is fully sealed.

\*Positive :-

ما يصير التفسير بعد ما تأكله أزيد



• يمكن اعتبار ال Positive جزء من كمال ال Negative

#

# Test Question:

Q. Which statement about feedback control systems is incorrect?

- A. Most control systems of the body act by negative feedback.
- B. Positive feedback usually promotes stability in a system.
- C. Generation of nerve actions potentials involves positive feedback.
- D. Feed-forward control is important in regulating muscle activity.
- E. A feedback gain of  $-3.0$  can correct  $3/4$  of the initial error.